

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/540,941	03/31/2000	Allen J. Klein	300202	3193	
75	90 01/02/2003				
PETER LOFFLER			EXAMINER		
P.O. BOX 1001 NICEVILLE, FL 32588-1001			AHMAD, ì	AHMAD, NASSER	
			ART UNIT	PAPER NUMBER	
			1772	· V : a	
			DATE MAILED: 01/02/2003	#12	

Please find below and/or attached an Office communication concerning this application or proceeding.



UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE WASHINGTON, DC 20231
WWW.USPfo.gov

Paper No.

Notice of Non-Compliant Amendment (37 CFR 1.121)

The amendment filed on
THE FOLLOWING ITEMS ARE REQUIRED FOR COMPLIANCE WITH RULE 1.121 (APPLICANT NEED NOT RE-SUBMIT THE ENTIRE AMENDMENT):
1. A clean version of the replacement paragraph(s)/section(s) is required. See 37 CFR 1.121(b)(1)(ii).
2. A marked-up version of the replacement paragraph(s)/section(s) is required. See 37 CFR 1.121(b)(1)(iii).
3. A clean version of the amended claim(s) is required. See 37 CFR 1.121(c)(1)(i).
4. A marked-up version of the amended claim(s) is required. See 37 CFR 1.121(c)(1)(ii).
Explanation Lee attached hearding replacement pages 1-3, a substitute specification is needed.
(LIE: Please provide specific details for correction to assist the applicant. For example, "the clean version of claim 6 is missing.")
For further explanation of the amendment format required by 37 CFR 1.121, see MPEP § 714 and the USPTO website at http://www.uspto.gov/web/offices/dcom/olia/pbg/sampleaf.pdf .
PRELIMINARY AMENDMENT: Unless applicant supplies the omission or correction to the preliminary amendment in compliance with revised 37 CFR 1.121 noted above within ONE MONTH of the mail date of this letter, examination on the merits may commence without entry of the originally proposed preliminary amendment. This notice is not an action under U.S.C. 132, and this ONE MONTH time limit is not extendable.
AMENDMENT AFTER NON-FINAL ACTION: Since the above-mentioned reply appears to be bona fide, applicant is given a TIME PERIOD of ONE MONTH or THIRTY DAYS from the mailing of this notice, whichever is longer, within which to supply the omission or correction noted above in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).
Legal Instruments Examiner (LIE)
(Rev. 12/01)

SUMMARY OF § 1.121 AMENDMENT CHANGES



All amendments filed March 1, 2001 (or later) must comply with revised 37 CFR 1.121

RULE 1.121 REQUIREMENTS:

 Changes to specification/claims must be made by replacement of entire paragraphs/sections/claims



Applicants must provide (a) a <u>clean version</u> of an amended paragraph or section or claim and (b) a <u>marked-up version</u> of the same paragraph or section or claim showing changes

- Clear instructions must be provided for the location of the amendment entry (e.g., paragraph number, page/line number)
- Deletion/Addition of paragraph/claim only requires an instruction to delete/add - no marked-up version required for deleted/added items

ENTRY GUIDELINES:

- ENTER ONLY THE CLEAN VERSION (wherever it is) as an insert
- NO ENTRY OF SINGLE WORDS OR PARTIAL PARAGRAPHS OR CLAIMS
- Section heading may be entered (e.g. "SUMMARY OF INVENTION") as an insert



DO NOT ENTER REPLACEMENT PAGES

- Examiner's Amendments may continue to use old practice of instructing entry of several words
- Portions of faxes or printed e-mails having full or partial replacement paragraphs/claims may be attached to an Examiner's Amendment

TREATMENT OF NON-COMPLIANT AMENDMENTS:

- If non-compliant (e.g., either the clean version or the marked-up version is missing), LIE should send a form letter notifying applicant that amendment is non-compliant (attach informational flyer)
- See SPE/Exr. if amendment entry is questionable
- If amendment is not entered and letter noting the informality is malled, use PALM 1632 (+MRD) to re-start response period